

South


Design Konstantin Grcic, 2023

Armchair, suitable for outdoor.

In steel tube and steel wire, cataphoretically treated and painted in polyester powder.

Pivoting feet.

Available also woven matting.




6 9401.79.00 | 0,414 m³ | 8,80 kg

Art. nr. Armchair in steel tube and wire

SD2950 colours

Woven matting, suitable for outdoor.



5609.00.00 | 0,06 m³ | 2,091 kg



Art. nr. Woven matting

AC900 colours

Steel tube and wire

-  orange 5279
-  bordeaux 5280
-  light blue 5276
-  night blue 5282

Woven matting

-  red/orange
-  blue/light blue

Test

ANSI-BIFMA X5.4-2020/21
Leg sideways static load test EN 1728:2012+AC:2013, L2
Leg forward static load test EN 1728:2012+AC:2013, L2
Seat and back static load test EN 1728:2012+AC:2013, L2
Arm sideways static load test EN 1728:2012+AC:2013, L2
Vertical load on back rest EN 1728:2012+AC:2013, L2
Vertical upwards static load on arm rests EN 1728:2012+AC:2013, L2
Arm downwards static load test EN 1728:2012+AC:2013, L2
Seat and back fatigue test EN 1728:2012+AC:2013, L2

Seat front edge durability test EN 1728:2012+AC:2013, L2
Arm fatigue test EN 1728:2012+AC:2013, L2
Seat impact test EN 1728:2012+AC:2013, L2
Back impact test EN 1728:2012+AC:2013, L2
Arm rest impact test EN 1728:2012+AC:2013, L2
Stability EN 1022:2005
Stability EN 1022:2018
Safety requirements EN 16139:2013
Information for use EN 16139:2013



094987.0
CENTROCOIT