



LINEAL

GABRIEL
TEIXIDÓ
2012




CARPYEN
BARCELONA

Carpellum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com

LINEAL SUSPENSION LAMP



CARPYEN
BARCELONA

Carpellum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com

LINEAL SUSPENSION LAMP



CARPYEN
BARCELONA

Carpylum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com

LINEAL SUSPENSION LAMP


Materiales / Materials Matériaux / Matters

Estructura: Aluminio
Structure: Aluminum
Structure: Aluminium
Struktur: Aluminium

Cable ajustable en acero inoxidable de 2,5 m (98.4") de largo / Adjustable inox steel cable up to 2,5 m (98.4") length / Câble ajustable en acier inoxydable de 2,5 m (98.4") de long / Einstelbare Kabel aus Edelstahl bis 2,5 m (98.4") lange

Acabados / Finishes Finitions / Ausführung

 Blanco
White
Blanc
Weiss

 Negro
Black
Noir
Schwarz

 Níquel mate
Matt nickel
Nickel mat
Nickel matt





LED Integrado / Integrated / Intégré / Integriert

100-240 V / 2700 K / CRI 80
- 110 cm / 43.3": 20 W / 2175 Lumen
- 158 cm / 62.2": 28 W / 3320 Lumen
- 182 cm / 71.6": 31 W / 3664 Lumen

Ángulo de apertura 120°
120° lighting angle
Angle d'ouverture 120°
Abstrahlwinkel 120°



Medidas / Measures / Measurements / Mittengun



CARPYEN
BARCELONA

Caryellum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com